



HOPPE (UK)  
Nylon Range

## **A full suite of durable products made for demanding environments**

For the past 30 years, HOPPE's Nylon range has provided a cost-effective, hard-wearing solution for the education sector. Tested to the BS EN 1906 standard, the Nylon range is designed with easy maintenance in mind. And with a full suite of door hardware products available in more than 10 colour options, all your needs are covered.

## **Everything you need in one range**

The Nylon range covers every item of door hardware an educational establishment will need. The range includes:

- Door stops
- Hooks
- Finger plates
- Signage
- Interior handle set on a rose
- Interior handle set on a backplate for WC doors
- Pull handles
- Roses
- Escutcheons

## **Why you'll love Nylon**

- Easy to clean
- Durable
- A range of colours

## Hassle-free maintenance

The Nylon range is designed for easy installation and even easier maintenance. For example, lever handles on backplates are specified to cover redundant fixing holes on doors. This saves you money and time when it comes to replacing old handles.

## A full colour spectrum

With more than 10 colour options to choose from, we've got something to match every colour scheme. The colours include:



**F1004** Golden Yellow



**F3003** Red (Rouge)



**F3005** Claret (Burgundy)



**F5002** Cobalt Blue



**F5003** Midnight (Dark) Blue



**F6016** Green (Viridian)



**F7016** Anthracite Grey



**F7506** Dove Grey



**F9016** Diamond White



**F9017** Ebony Black







## Paris - K138/15K (AR600)



duraplus®



HOPPE nylon handle set on rose without escutcheons for interior doors:

- Bearing: fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE solid profile spindle
- Base: nylon
- Fixing: wood screws
- Special feature: door handles with steel cores
- Spring cassettes available to order (ID: 572809)
- Longer spindles available for doors above 47 mm thickness

Article description				F1004	F3003	F3005	F5002	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set on rose	38-47	8		8568348	585915	574360	568871	1	10

Article description				F5003	F6016	F7016	F7506	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set on rose	38-47	8		585922	<b>585939</b>	87133193	585953	1	10

Article description				F9016	F9017			P.U.	O.C.
				Article no.	Article no.				
Handle set on rose	38-47	8		585946	568864			1	10



Included in successful fire test to BS EN1634 part-1. Assessed for use on 30 minute timber fire doors.

■ **Paris - K138/353K (AR600)**

duraplus®




HOPPE nylon handle set on short backplate for interior doors:

- Bearing: fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE solid profile spindle
- Base: nylon
- Fixing: bolt through

Article description			Keyhole					P.U.	O.C.
				F1004 Article no.	F3003 Article no.	F3005 Article no.	F5002 Article no.		
Handle set on backplate	38-47	8	72	11570088	11570125	11570076	<b>11570095</b>	1	10
	45-49	8-5	78	11573533	11571391	11571330	11571366	1	10

Article description			Keyhole					P.U.	O.C.
				F5003 Article no.	F6016 Article no.	F7016 Article no.	F7506 Article no.		
Handle set on backplate	38-47	8	72	11570106	11570052	11570118	11570143	1	10
	45-49	8-5	78	11571378	11571317	11571385	11571421	1	10

Article description			Keyhole			P.U.	O.C.
				F9016 Article no.	F9017 Article no.		
Handle set on backplate	38-47	8	72	11570131	11570064	1	10
	45-49	8-5	78	11571408	11571329	1	10



72 mm lever on backplate included in a successful fire test to BS EN1634 part-1. Assessed for use on 30 minute fire doors.

## Paris - K138/353K (AR600)

duraplus®




HOPPE nylon handle set on short backplate for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: HOPPE solid profile spindle (receiver - receiver components)
- Base: nylon
- Fixing: wood screws
- Special feature: door handles with steel cores

Article description			Keyhole	F1004	F3003	F3005	F5002	P.U.	O.C.	
				Article no.	Article no.	Article no.	Article no.			
Handle set on back-plate	38-47	8		57	8566395	8566367	8566381	8566402	1	10
	38-47	8		47.6	8566472	8566458	<b>8566465</b>	8566479	1	10
	38-47	8		48.5	8566549	8566535	8566542	8566556	1	10
	38-47	8	BLIND		8566304	8566290	8566297	8566311	1	10
	45-49	8-5		57	8566626	8566612	8566619	8566633	1	10

Article description			Keyhole	F5003	F6016	F7016	F7506	P.U.	O.C.	
				Article no.	Article no.	Article no.	Article no.			
Handle set on back-plate	38-47	8		57	8566409	8566416	87133242	8566423	1	10
	38-47	8		47.6	8566486	8566493	87134546	8566500	1	10
	38-47	8		48.5	8566563	8566570	87134553	8566577	1	10
	38-47	8	BLIND		8566318	8566325	87133235	8566332	1	10
	45-49	8-5		57	8566640	8566647	11569682	8566654	1	10

Article description			Keyhole	F9016	F9017			P.U.	O.C.	
				Article no.	Article no.					
Handle set on back-plate	38-47	8		57	8566451	8566444			1	10
	38-47	8		47.6	8566528	8566521			1	10
	38-47	8		48.5	8566605	8566598			1	10
	38-47	8	BLIND		8566360	8566353			1	10
	45-49	8-5		57	8566682	8566675			1	10





## ■ K42KS



duraplus®






HOPPE nylon escutcheon pair with emergency release/turn and red-white-indicator for bathroom/WC doors:

- Base: nylon
- Fixing: wood screws

Article description		Keyhole	F1004	F3003	F3005	F5002	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Escutcheon red-white-indicator for bathroom/WC doors, pair	44		2260711	2260720	2260738	2260746	5	20

Article description		Keyhole	F5003	F6016	F7016	F7506	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Escutcheon red-white-indicator for bathroom/WC doors, pair	44		2260754	2260762	3503316	2260771	5	20

Article description		Keyhole	F9016	F9017			P.U.	O.C.
			Article no.	Article no.				
Escutcheon red-white-indicator for bathroom/WC doors, pair	44		<b>2260797</b>	2260800			5	20



## ■ K15S

duraplus®

HOPPE nylon escutcheon pair for interior doors:


- Base: nylon
- Fixing: wood screws




Article description		Keyhole	F1004	F3003	F3005	F5002	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Escutcheon, pair			600434	567041	600427	<b>583966</b>	10	100
			600441	544394	574353	<b>568901</b>	10	50
			623457	798407	623426	<b>623464</b>	10	50
		BLIND	600618	570935	600397	<b>600380</b>	10	50

Article description		Keyhole	F5003	F6016	F7016	F7506	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Escutcheon, pair			583973	583980	3414735	570973	10	100
			584024	584031	3414719	570980	10	50
			623471	623402	3414891	623488	10	50
		BLIND	600403	600410	3613777	570966	10	50


Article description		Keyhole	F9016	F9017			P.U.	O.C.
			Article no.	Article no.				
Escutcheon, pair			567065	584017			10	100
			522118	568895			10	50
			623495	623419			10	50
		BLIND	570959	623372			10	50




OB



PZ



OZ2



BLIND






■ **K15S**




duraplus®







HOPPE nylon escutcheon pair with emergency release/turn and red-white-indicator for bathroom/WC doors::

- Base: nylon
- Fixing: wood screws

Article description			Keyhole	F1004	F3003	F3005	F5002	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Escutcheon for bathroom/WC, pair	45-49	5		623570	797851	623556	797844	5	20

Article description			Keyhole	F5003	F6016	F7016	F7506	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Escutcheon for bathroom/WC, pair	45-49	5		623587	<b>623532</b>	3414911	623594	5	20

Article description			Keyhole	F9016	F9017			P.U.	O.C.
				Article no.	Article no.				
Escutcheon for bathroom/WC, pair	45-49	5		623600	623549			5	20



## ■ K5030-3 (AR602CF)

duraplus®

HOPPE nylon straight concealed fix pull handle:


- 34 mm diameter
- For 425 and 600 mm, pull handle contains a modular feature consisting of 3 parts



Article description	Ø	Distance	F1004	F3003	F3005	F5002	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Straight pull handle on rose	34	220	8550708	8550715	8550687	8550722	1	5
	34	300	8550939	8550946	8550918	8550953	1	5
	34	425	<b>87109327</b>	87109317	87109317	87109318	1	5
	34	600	87109360	87109357	87109350	87109351	1	5

Article description	Ø	Distance	F5003	F6016	F7016	F7506	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Straight pull handle on rose	34	220	8550729	8550673	87133117	8550736	1	5
	34	300	8550960	8550904	87133110	8550967	1	5
	34	425	87109323	87109324	87133145	87109319	1	5
	34	600	87109356	87109359	87133172	87109352	1	5


Article description	Ø	Distance	F9016	F9017			P.U.	O.C.
			Article no.	Article no.				
Straight pull handle on rose	34	220	8550743	8550680			1	5
	34	300	8550974	8550911			1	5
	34	425	87109320	87109321			1	5
	34	600	87109353	87109354			1	5



Included in a successful fire test to BS EN1634 Part-1. Assessed for use on 30 and 60 minute timber fire doors

■ **K5030-3 (AR602BF)**

duraplus®




HOPPE nylon straight bolt through fixing pull handle pair:

- 34 mm diameter
- For 425 and 600 mm, pull handle contains a modular feature consisting of 3 parts

Article description	Ø	Distance	F1004	F3003	F3005	F5002	P.U.	O.C.	
			Article no.	Article no.	Article no.	Article no.			
Straight pull handle, bolt through fixing	34	40-50	220	8550785	8550792	8550764	8550799	1	5
	34	40-50	300	8551016	8551023	8550995	8551030	1	5
	34	40-50	425	87109316	<b>87109313</b>	87109306	87109307	1	5
	34	40-50	600	87109349	87109346	87109339	87109340	1	5

Article description	Ø	Distance	F5003	F6016	F7016	F7506	P.U.	O.C.	
			Article no.	Article no.	Article no.	Article no.			
Straight pull handle, bolt through fixing	34	40-50	220	8550806	8550750	11500773	8550813	1	5
	34	40-50	300	8551037	8550981	87133124	8551044	1	5
	34	40-50	425	87109312	87109315	87133152	87109308	1	5
	34	40-50	600	87109345	87109348	87133166	87109341	1	5


Article description	Ø	Distance	F9016	F9017			P.U.	O.C.	
			Article no.	Article no.					
Straight pull handle, bolt through fixing	34	40-50	220	8550820	8550757			1	5
	34	40-50	300	8551051	8550988			1	5
	34	40-50	425	87109309	87109310			1	5
	34	40-50	600	87109342	87109343			1	5



Included in a successful fire test to BS EN1634 Part-1. Assessed for use on 30 and 60 minute timber fire doors

## ■ K5030-3 (AR602BB)

duraplus®




HOPPE nylon straight back to back fixing pull handle pair:

- 34 mm diameter
- For 425 and 600 mm, pull handle contains a modular feature consisting of 3 parts

Article description	Ø		Distance	F1004	F3003	F3005	F5002	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Straight pull handles, back to back fixing pair	34	40-50	220	8550631	11566097	11566103	8550645	1	5
	34	40-50	300	8550862	8550869	8550841	8550876	1	5
	34	40-50	425	<b>87109338</b>	87109335	87109328	87109329	1	5
	34	40-50	600	87109371	11508413	87109361	87109362	1	5

Article description	Ø		Distance	F5003	F6016	F7016	F7506	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Straight pull handles, back to back fixing pair	34	40-50	220	8550652	8550596	87133096	8550659	1	5
	34	40-50	300	8550883	8550827	87133103	8550890	1	5
	34	40-50	425	87109334	87109337	87133159	87109330	1	5
	34	40-50	600	87109367	87109370	87133179	87109363	1	5

Article description	Ø		Distance	F9016	F9017			P.U.	O.C.
				Article no.	Article no.				
Straight pull handles, back to back fixing pair	34	40-50	220	8550666	8550603			1	5
	34	40-50	300	8550897	8550834			1	5
	34	40-50	425	87109331	87109332			1	5
	34	40-50	600	87109364	87109365			1	5



Included in a successful fire test to BS EN1634 Part-1. Assessed for use on 30 and 60 minute timber fire doors



designer cover

## AR3500

ARRONE overhead door closing device:


- Power adjustable power size 2-4 by spring
- Backcheck/Delayed Action
- Option: Designer cover or square corner cover
- Suitable for doors up to 1100 mm wide and 80kg weight when fitted in Fig 1, Fig 6 & Fig 61 fixing positions
- Fixing points retrofit other popular British closers of a similar application
- Successfully type tested for conformity to all the requirements of BS EN1154:1997

Fig 1, 6 and 61	3	8	4 2	1*	1	4
-----------------	---	---	--------	----	---	---

- CE Marked: Certificate 1121-CPD-AD0009
- Certifire Approved Product: Certificate CF294
- CPR Declaration of Performance Certificate: HUK0019

Product ref.	Article description	Finish	Article no.
<b>AR3500-D-Y/Y</b>	Door closer and matching arm	F1004	87101081
<b>AR3500-D-R/R</b>	Door closer and matching arm	F3003	87101078
<b>AR3500-D-CL/CL</b>	Door closer and matching arm	F3005	87101071
<b>AR3500-D-CO/CO</b>	Door closer and matching arm	F5002	87101072
<b>AR3500-D-MB/MB</b>	Door closer and matching arm	F5003	87101077
<b>AR3500-D-V/V</b>	Door closer and matching arm	F6016	<b>87101080</b>
<b>AR3500-D-AG/AG</b>	Door closer and matching arm	F7016	11500256
<b>AR3500-D-DG/DG</b>	Door closer and matching arm	F7506	87101073
<b>AR3500-D-DW/DW</b>	Door closer and matching arm	F9016	87101074
<b>AR3500-D-E/E</b>	Door closer and matching arm	F9017	87101059

<b>AR3500-ARM-HO-E</b>	Hold open arm only	F9017	87102502
<b>AR3500-DP-E</b>	Drop plate	F9017	87100982



The AR3500 can satisfy the opening force recommendations of BS8300 and AD-M when fitted in Fig 1 to a door with minimum width of 938 mm according to third party data. However other installed hardware, door seals and differential air pressure will affect the products as fitted performance meaning that the door closer alone cannot allow compliance to BS8300 and AD-M.

Included in a successful fire test to BS EN1634 Part-1. Suitable for use on 30, 60 and 120 minute timber fire doors



## K486 (AR613)

HOPPE nylon floor fix door stop:

- With attached rubber buffer
- Fixing: concealed, multi-purpose screw and plastic dowel

Product ref.	Article description	Finish	Article no.
<b>AR613-Y</b>	Floor fix door stop	F1004	<b>538515</b>
<b>AR613-R</b>	Floor fix door stop	F3003	566150
<b>AR613-CL</b>	Floor fix door stop	F3005	624546
<b>AR613-CO</b>	Floor fix door stop	F5002	538522
<b>AR613-MB</b>	Floor fix door stop	F5003	538539
<b>AR613-V</b>	Floor fix door stop	F6016	538546
<b>AR613-AG</b>	Floor fix door stop	F7016	3414874
<b>AR613-DG</b>	Floor fix door stop	F7506	584055
<b>AR613-DW</b>	Floor fix door stop	F9016	566174
<b>AR613-E</b>	Floor fix door stop	F9017	584062






## K676 (AR618)

HOPPE nylon coat hook:

- Fixing: visible, multi-purpose screws

Product ref.	Article description	Finish	Article no.
<b>AR618-Y</b>	Coat hook	F1004	624416
<b>AR618-R</b>	Coat hook	F3003	537570
<b>AR618-CL</b>	Coat hook	F3005	537587
<b>AR618-CO</b>	Coat hook	F5002	624423
<b>AR618-MB</b>	Coat hook	F5003	624430
<b>AR618-V</b>	Coat hook	F6016	624409
<b>AR618-AG</b>	Coat hook	F7016	3414882
<b>AR618-DG</b>	Coat hook	F7506	584277
<b>AR618-DW</b>	Coat hook	F9016	566242
<b>AR618-E</b>	Coat hook	F9017	<b>584291</b>




## K690 (AR617A)

HOPPE nylon hat and coat hook:

- Fixing: visible, wood screws

Product ref.	Article description	Finish	Article no.
<b>AR617A-Y</b>	Hat and coat hook	F1004	<b>622535</b>
<b>AR617A-R</b>	Hat and coat hook	F3003	537655
<b>AR617A-CL</b>	Hat and coat hook	F3005	537662
<b>AR617A-CO</b>	Hat and coat hook	F5002	622542
<b>AR617A-MB</b>	Hat and coat hook	F5003	622559
<b>AR617A-V</b>	Hat and coat hook	F6016	622528
<b>AR617A-AG</b>	Hat and coat hook	F7016	3413943
<b>AR617A-DG</b>	Hat and coat hook	F7506	584390
<b>AR617A-DW</b>	Hat and coat hook	F9016	566228
<b>AR617A-E</b>	Hat and coat hook	F9017	584406




## AR624B

ARRONE nylon finger plate:

- 75 mm x 350 mm
- Square corner self adhesive

Other sizes available to special order.

Product ref.	Article description	Finish	Article no.
<b>AR624B-Y</b>	350 mm x 75 mm finger plate	F1004	50004135
<b>AR624B-R</b>	350 mm x 75 mm finger plate	F3003	50004116
<b>AR624B-CL</b>	350 mm x 75 mm finger plate	F3005	50004050
<b>AR624B-CO</b>	350 mm x 75 mm finger plate	F5002	<b>50004062</b>
<b>AR624B-MB</b>	350 mm x 75 mm finger plate	F5003	50004104
<b>AR624B-V</b>	350 mm x 75 mm finger plate	F6016	50004128
<b>AR624B-AG</b>	350 mm x 75 mm finger plate	F7016	50004141
<b>AR624B-DG</b>	350 mm x 75 mm finger plate	F7506	50004074
<b>AR624B-DW</b>	350 mm x 75 mm finger plate	F9016	50004086
<b>AR624B-E</b>	350 mm x 75 mm finger plate	F9017	50004098




## AR424B

ARRONE brass finger plate:

- 75 mm x 350 mm square corner finger plate
- PVD coated

Other sizes available to special order.

Product ref.	Article description	Finish	Article no.
<b>AR424B-PB</b>	350 mm x 75 mm finger plate	PB	<b>8506727</b>








## AR607D - Disabled WC

ARRONE nylon information sign:

- with pictogram
- 100 mm x 150 mm

Product ref.	Article description	Finish	Article no.
<b>AR607D-Y</b>	100 mm x 150 mm disabled sign	F1004	8508001
<b>AR607D-R</b>	100 mm x 150 mm disabled sign	F3003	8507980
<b>AR607D-CL</b>	100 mm x 150 mm disabled sign	F3005	8507931
<b>AR607D-CO</b>	100 mm x 150 mm disabled sign	F5002	8507938
<b>AR607D-MB</b>	100 mm x 150 mm disabled sign	F5003	8507973
<b>AR607D-V</b>	100 mm x 150 mm disabled sign	F6016	50001784
<b>AR607D-AG</b>	100 mm x 150 mm disabled sign	F7016	<b>87132305</b>
<b>AR607D-DG</b>	100 mm x 150 mm disabled sign	F7506	8507945
<b>AR607D-DW</b>	100 mm x 150 mm disabled sign	F9016	8507952
<b>AR607D-E</b>	100 mm x 150 mm disabled sign	F9017	8507959




## AR607F - Female WC

ARRONE nylon information sign:

- with pictogram
- 100 mm x 150 mm

Product ref.	Article description	Finish	Article no.
<b>AR607F-Y</b>	100 mm x 150 mm female sign	F1004	8508078
<b>AR607F-R</b>	100 mm x 150 mm female sign	F3003	8508057
<b>AR607F-CL</b>	100 mm x 150 mm female sign	F3005	8508008
<b>AR607F-CO</b>	100 mm x 150 mm female sign	F5002	8508015
<b>AR607F-MB</b>	100 mm x 150 mm female sign	F5003	8508050
<b>AR607F-V</b>	100 mm x 150 mm female sign	F6016	8508071
<b>AR607F-AG</b>	100 mm x 150 mm female sign	F7016	<b>87132312</b>
<b>AR607F-DG</b>	100 mm x 150 mm female sign	F7506	8508022
<b>AR607F-DW</b>	100 mm x 150 mm female sign	F9016	8508029
<b>AR607F-E</b>	100 mm x 150 mm female sign	F9017	8508036





## AR607M - Male WC

ARRONE nylon information sign:

- with pictogram
- 100 mm x 150 mm

Product ref.	Article description	Finish	Article no.
<b>AR607M-Y</b>	100 mm x 150 mm male sign	F1004	8508155
<b>AR607M-R</b>	100 mm x 150 mm male sign	F3003	8508134
<b>AR607M-CL</b>	100 mm x 150 mm male sign	F3005	8508085
<b>AR607M-CO</b>	100 mm x 150 mm male sign	F5002	8508092
<b>AR607M-MB</b>	100 mm x 150 mm male sign	F5003	8508127
<b>AR607M-V</b>	100 mm x 150 mm male sign	F6016	8508148
<b>AR607M-AG</b>	100 mm x 150 mm male sign	F7016	<b>87132319</b>
<b>AR607M-DG</b>	100 mm x 150 mm male sign	F7506	8508099
<b>AR607M-DW</b>	100 mm x 150 mm male sign	F9016	8508106
<b>AR607M-E</b>	100 mm x 150 mm male sign	F9017	8508113

